

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/22/2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product form	: Mixture		
Product name	: Tropical - #979 GREAT WHITE all weather SEBS mastic		
1.2. Relevant identified use	es of the substance or mixture and uses advised against		
1.3. Details of the supplier	1.3. Details of the supplier of the safety data sheet		
TROPICAL ROOFING PRODUCT 1904 S.W. 31ST Ave. HALLANDALE, FL 33009 - UNITE T 954-983-3434 technical@tropicalroofingproducts			
1.4. Emergency telephone	number		
Emergency number	: 800-424-9300 Chemtrec		
SECTION 2: Hazards identification			
2.1. Classification of the su	ubstance or mixture		
GHS-US classification			

Flam. Liq. 2	H225
Skin Irrit. 2	H315
Skin Sens. 1	H317
Muta. 1B	H340
Carc. 1B	H350
Full text of H-statements: see section 16	

2.2. Label elements GHS-US labelling	
)	
Hazard pictograms (GHS-US)	
	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H225 - Highly flammable liquid and vapour H315 - Causes skin irritation H317 - May cause an allergic skin reaction H340 - May cause genetic defects H350 - May cause cancer (Inhalation)
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P264 - Wash hands, forearms and face thoroughly after handling P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves, eye protection P302+P352 - If on skin: Wash with plenty of mineral oil P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P308+P313 - If exposed or concerned: Get medical advice/attention P321 - Specific treatment (see on this label)
)2/22/2017	EN (English) Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P332+P313 - If skin irritation occurs: P333+P313 - If skin irritation or rash P362+P364 - Take off contaminated P363 - Wash contaminated clothing P370+P378 - In case of fire: Use t P403+P235 - Store in a well-ventilate P405 - Store locked up P501 - Dispose of contents/containe	occurs: Get medical a clothing and wash it b before reuse o extinguish ed place. Keep cool	advice/attention
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Not applicable			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
	Product identifier (CAS No) 64742-95-6	% 5 - 40	GHS-US classification Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
Name			Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350
Name solvent naphtha (petroleum), light aromatic	(CAS No) 64742-95-6	5 - 40	Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
Name solvent naphtha (petroleum), light aromatic 4-chlorobenzotrifluoride	(CAS No) 64742-95-6 (CAS No) 98-56-6	5 - 40 0 - 35	Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304 Flam. Liq. 3, H226
Name Solvent naphtha (petroleum), light aromatic 4-chlorobenzotrifluoride attapulgite	(CAS No) 64742-95-6 (CAS No) 98-56-6	5 - 40 0 - 35 15 - 25	Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304 Flam. Liq. 3, H226 Carc. 2, H351
Name solvent naphtha (petroleum), light aromatic 4-chlorobenzotrifluoride attapulgite styrene-ethylene/butene-styrene,block copolymer	(CAS No) 64742-95-6 (CAS No) 98-56-6 (CAS No) 12174-11-7	5 - 40 0 - 35 15 - 25 10 - 20	Flam. Liq. 2, H225 Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304 Flam. Liq. 3, H226 Carc. 2, H351 Not classified

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and ef	fects, both acute and delayed	
Symptoms/injuries after skin contact	: Irritation. May cause an allergic skin reaction.	
4.3. Indication of any immediate medi	cal attention and special treatment needed	
Treat symptomatically.		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Highly flammable liquid and vapour.	
Reactivity	: Highly flammable liquid and vapour.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures				
6.1. F	Personal precautions	s, protective equip	ment and emergency procedures	
6.1.1. F	For non-emergency p	personnel		
Emergency	y procedures	:		noking. Only qualified personnel equipped with suitable void breathing dust/fume/gas/mist/vapours/spray.
6.1.2. F	or emergency respo	onders		
Protective	equipment	:	Do not attempt to take action without s refer to section 8: "Exposure controls/p	uitable protective equipment. For further information personal protection".
	Environmental preca ase to the environmen		if product enters sewers or public wate	rs.
6.3. I	Methods and materia	I for containment	and cleaning up	
Methods for cleaning up		:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other infor	mation	:	Dispose of materials or solid residues	at an authorized site.
6.4. F	Reference to other se	ections		
For further	information refer to se	ection 13.		
SECTIO	N 7: Handling an	d storage		
	Precautions for safe			
Precaution	s for safe handling	:	flames and other ignition sources. No equipment. Use only non-sparking too discharge. Flammable vapours may ac equipment. Wear personal protective of handle until all safety precautions have technical measures to avoid or minimiz quantities of product at the minimum n workers. Provide local exhaust or gene the hazard area must be cleaned regu dust/fume/gas/mist/vapours/spray.	ation. Keep away from heat, hot surfaces, sparks, open smoking. Ground/bond container and receiving ls. Take precautionary measures against static ccumulate in the container. Use explosion-proof equipment. Obtain special instructions before use. Do not a been read and understood. Take all necessary ze the release of the product on the workplace. Limit ecessary for handling and limit the number of exposed aral room ventilation. Floors, walls and other surfaces in larly. Avoid contact with skin and eyes. Avoid breathing
Hygiene m	easures	:	before reuse. Contaminated work cloth	othes. Launder separately. Wash contaminated clothing ning should not be allowed out of the workplace. Do not oduct. Always wash hands after handling the product.
7.2. (Conditions for safe s	torage, including	any incompatibilities	
Technical measures :		:	Ground/bond container and receiving equipment.	
Storage conditions :		:	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.	
7.3.	Specific end use(s)			
No additional information available				
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Tropical	- #979 GREAT WHIT	E all weather SEB	S mastic	
ACGIH				
OSHA	HA Not applicable			
solvent r	naphtha (petroleum),	light aromatic (64	1742-95-6)	
ACGIH		Not applicable		
OSHA		Not applicable		
styrene-	ethylene/butene-styr	ene,block copolyr	ner	
ACGIH		ACGIH TWA (mg/		3 mg/m ³ (Particulates (insoluble or poorly soluble)(NOS); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
OSHA		Not applicable		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77	, No. 58 / Monday, March 26, 2012 / Rules an	d Regulations	
zinc bis(dibutyldithiocarbam	ate) (136-23-2)		
ACGIH	Not applicable		
OSHA	Not applicable		
titanium(IV) oxide (13463-67-	7)		
ACGIH	ACGIH TWA (mg/m ³) 10 mg/m ³ (Titanium dioxide; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)		
OSHA	Not applicable		
attapulgite (12174-11-7)			
ACGIH	Not applicable		
OSHA	Not applicable		
polyethylenes (9002-88-4)			
ACGIH	ACGIH TWA (mg/m³)	3 mg/m ³ (Particulates (insoluble or poorly soluble)(NOS); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)	
OSHA	Not applicable		
4-chlorobenzotrifluoride (98-	56-6)		
ACGIH	Not applicable		
OSHA	Not applicable		
3.2. Exposure controls	- Ensure good ventile	tion of the work station	
Appropriate engineering controls Hand protection	: Protective gloves.	tion of the work station.	
Eye protection	: Safety glasses.		
Skin and body protection	: Wear suitable prote	ctive clothing	
		-	
Environmental exposure control	espiratory protection : Wear respiratory protection. nvironmental exposure controls : Avoid release to the environment.		
SECTION 9: Physical an			
	physical and chemical properties		
Physical state	: Liquid		
Colour	No data available or	e or more component(s) which have the following colour(s): n colour White White to light violet Pure substance: white Unpurified: w to grey Colourless to white Colourless	
Odour : There may be no odour warning properties, odour is subjective and inadequate to wa overexposure. Mixture contains one or more component(c) which have the following edgur(s):			

	Mixture contains one or more component(s) which have the following odour(s): No data available on odour Odourless Mild odour Pleasant odour Almost odourless Aromatic odour
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available

Safety Data Sheet

Solubility	 Water: Solubility in water of component(s) of the mixture : solvent naphtha (petroleum), light aromatic: < 0.01 g/100ml titanium(IV) oxide: 0.15 g/100ml attapulgite: insoluble polyethylenes: insoluble 4-chlorobenzotrifluoride: 0.0029
	g/100ml
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: > 250000 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and react	1. / if 1 /
SECTION 10: Stability and react	ινικ
10.1. Reactivity	
Highly flammable liquid and vapour.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reacti	ions
No dangerous reactions known under norn	nal conditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No f	flames, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
SECTION 11: Toxicological info	e, hazardous decomposition products should not be produced. rmation
11.1. Information on toxicological ef	ffects
	: Not classified
	: Not classified
Acute toxicity	: Not classified
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2	: Not classified 23-2)
Acute toxicity zinc bis(dibutyIdithiocarbamate) (136- LD50 oral rat	: Not classified 23-2)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) > 2000 mg/kg (Rat)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) > 2000 mg/kg (Rat) 13000 mg/kg (Rat)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat LD50 dermal rabbit	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) > 2000 mg/kg (Rat) - 13000 mg/kg (Rat) > 2000 mg/kg (Rat) > 2000 mg/kg (Rat)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/I) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/I)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) > 2000 mg/kg (Rat) 13000 mg/kg (Rat) > 2000 mg/kg (Rat) 33 mg/l/4h (Rat)
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) > 2000 mg/kg (Rat) > 2000 mg/kg (Rat) 33 mg/l/4h (Rat) 33 mg/l/4h (Rat) 13000.000 mg/kg bodyweight
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral) ATE US (vapours)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rabbit; Literature study) > 10000 mg/kg (Rabbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) > 2000 mg/kg (Rat) > 2000 mg/kg (Rat) 33 mg/l/4h (Rat) 13000.000 mg/kg bodyweight 33.000 mg/l/4h
Acute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral) ATE US (vapours) ATE US (dust,mist)	: Not classified 23-2) > 5000 mg/kg (Rat) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) > 10000 mg/kg (Ratbit; Literature study) > 6.8 mg/l/4h (Rat; Experimental value) <
cute toxicity zinc bis(dibutyldithiocarbamate) (136-2 LD50 oral rat titanium(IV) oxide (13463-67-7) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) polyethylenes (9002-88-4) LD50 oral rat 4-chlorobenzotrifluoride (98-56-6) LD50 oral rat LD50 dermal rabbit LC50 inhalation rat (mg/l) ATE US (oral) ATE US (vapours) ATE US (dust,mist) kin corrosion/irritation	: Not classified 23-2) 23-2) 23-2) 23-20 23-20 23-20 23-20 23-20 23-20 23-20 23-200 mg/kg (Rat; OECD 425: Acute Oral Toxicity: Up-and-Down Procedure; Experimental value; > 5000 mg/kg bodyweight; Rat; Experimental value) 23-2000 mg/kg (Rabbit; Literature study) 23-2000 mg/kg (Rat) 23-2000 mg/kg (Rat) 23-2000 mg/kg (Rat) 23-2000 mg/kg (Rat) 23-2000 mg/kg bodyweight 23.000 mg/kg bodyweight 23.000 mg/l/4h 23.000

- : May cause an allergic skin reaction.
- Germ cell mutagenicity : May cause genetic defects.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

titanium(IV) oxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
attapulgite (12174-11-7)	
IARC group	2B - Possibly carcinogenic to humans, 3 - Not classifiable
polyethylenes (9002-88-4)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Irritation. May cause an allergic skin reaction.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
titanium(IV) oxide (13463-67-7)	
EC50 Daphnia 1	> 100 mg/l (LC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Weight of evidence)
Threshold limit algae 1	61 mg/l (EC50; Other; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)
4-chlorobenzotrifluoride (98-56-6)	
LC50 fish 1	11.4 mg/l (LC50; 72 h; Lepomis macrochirus)
EC50 Daphnia 1	3.68 mg/l (EC50; 48 h)
12.2. Persistence and degradability	
styrene-ethylene/butene-styrene,block copo	
Persistence and degradability	Biodegradability in soil: no data available.
zinc bis(dibutyldithiocarbamate) (136-23-2)	
Persistence and degradability	Adsorbs into the soil.
titanium(IV) oxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable. Low potential for mobility in soil.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
attapulgite (12174-11-7)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	
	Not applicable
ThOD	Not applicable
polyethylenes (9002-88-4)	
Persistence and degradability	Not readily biodegradable in water. Non degradable in the soil.
4-chlorobenzotrifluoride (98-56-6)	
Persistence and degradability	Biodegradability in water: no data available.
12.3. Bioaccumulative potential	
02/22/2017	EN (English) 6/9
	Lig(Lig(5)) 0/9

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.1 - 6 mer No bioaccumulation data available.		
No bioaccumulation data available		
No bloaccumulation data available.		
zinc bis(dibutyldithiocarbamate) (136-23-2)		
5.54 (Calculated)		
No bioaccumulation data available.		
titanium(IV) oxide (13463-67-7)		
Not bioaccumulative.		
attapulgite (12174-11-7)		
No bioaccumulation data available.		
polyethylenes (9002-88-4)		
No bioaccumulation data available.		
4-chlorobenzotrifluoride (98-56-6)		
3.6		
Low potential for bioaccumulation (Log Kow < 4).		

12.4. Mobility in soil

No additional information available

12.5.	Other adverse effects	
Effect or	n ozone layer	:
Effect or	n the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal consider	ations		
13.1. Waste treatment methods			
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Flammable vapours may accumulate in the container.		
SECTION 14: Transport informa	tion		
In accordance with DOT			
Transport document description	: Combustible Liquid - DOT 49 CFR 173.150 SUB.PAR.F. Unregulated, III		
UN-No.(DOT)	: Combustible Liquid - DOT 49 CFR 173.150 SUB.PAR.F. Unregulated		
Packing group (DOT)	: III - Minor Danger		
Additional information			
Other information	: No supplementary information available.		
ADR			
No additional information available			
Transport by sea No additional information available			
Air transport			
No additional information available			
SECTION 15: Regulatory inform	ation		
15.1. US Federal regulations			
solvent naphtha (petroleum), light aror	natic (64742-95-6)		
Listed on the United States TSCA (Toxic	Substances Control Act) inventory		
styrene-ethylene/butene-styrene,block	copolymer		
Not listed on the United States TSCA (To	xic Substances Control Act) inventory		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

zinc bis(dibutyldithiocarbamate) (136-23-2)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
titanium(IV) oxide (13463-67-7)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
attapulgite (12174-11-7)				
Not listed on the United States TSCA (Toxic Substances Control Act) inventory				
polyethylenes (9002-88-4)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e., Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).			
4-chlorobenzotrifluoride (98-56-6)				
Listed on the United States TSCA (Toxic Substa	inces Control Act) inventory			
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.			

15.2. International regulations

CANADA No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

15.2.2. National regulations

titanium(IV) oxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations		
Tropical - #979 GREAT WHITE all weather SEBS mastic()		
U.S California - Proposition 65 - Carcinogens List	Yes	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

attapulgite (12174-11-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	

titanium(IV) oxide (13463-67-7)	
U.S New Jersey - Right to Know Hazardous Substance List	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Carc. 2	Carcinogenicity, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

ZLF-PMS 364 CUSTOM TEMPLATE

All information contained in this MSDS is based on current technical data believed to be accurate and reliable. Additions of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since these conditions are outside our control, we furnish this MSDS without any express or implied warranties.